

DDH	From (m)	To (m)	Interval (m)	U3O8 (wt%)	GT (Grade * Thickness)	Maximum Grade (wt%)	Mineralization Type
MWNE-09-120	51.0	51.1	0.1	0.83	0.04	0.83	SST
MWNE-09-120	220.5	221.0	0.5	0.06	0.03	0.06	UNC
MWNE-09-120	226.0	227.0	1.0	0.06	0.06	0.06	BSMT
MWNE-09-120	235.5	236.5	1.0	0.34	0.34	0.50	BSMT
MWNE-09-120	243.0	245.5	2.5	0.17	0.42	0.31	BSMT
MWNE-09-120	251.0	254.5	3.5	0.08	0.29	0.11	BSMT
MWNE-09-121	206.0	206.5	0.5	0.07	0.04	0.07	BSMT
MWNE-09-121	212.0	222.5	10.5	1.25	13.13	4.21	BSMT
including	212.0	213.0	1.0	3.98			
MWNE-09-121	224.5	225.5	1.0	0.11	0.11	0.17	BSMT
MWNE-09-122	234.0	246.0	12.0	1.94	23.26	22.20	BSMT
including	244.0	245.0	1.0	16.80			
MWNE-09-123	207.0	208.5	1.5	0.10	0.15	0.24	BSMT
MWNE-09-123	227.5	229.0	1.5	0.43	0.64	0.60	BSMT
MWNE-09-123	240.0	245.0	5.0	0.37	1.85	0.82	BSMT
MWNE-09-123	247.0	248.5	1.5	0.07	0.11	0.10	BSMT
MWNE-09-123	250.0	252.0	2.0	1.34	2.68	1.97	BSMT
MWNE-09-123	262.0	262.5	0.5	0.06	0.03	0.06	BSMT
MWNE-09-123	265.0	269.5	4.5	0.30	1.34	0.93	BSMT
MWNE-09-123	274.5	275.0	0.5	0.06	0.03	0.06	BSMT
MWNE-09-124A	208.5	213.0	4.5	0.13	0.58	0.28	BSMT
MWNE-09-124A	216.5	217.0	0.5	0.05	0.03	0.05	BSMT
MWNE-09-124A	219.0	219.5	0.5	1.10	0.55	1.10	BSMT
MWNE-09-125	208.5	223.5	15.0	0.82	12.28	5.96	BSMT
including	218.0	219.0	1.0	4.14			
MWNE-09-126	209.5	210.5	1.0	0.28	0.28	0.41	BSMT

DDH	From (m)	To (m)	Interval (m)	U3O8 (wt%)	GT (Grade * Thickness)	Maximum Grade (wt%)	Mineralization Type
MWNE-09-126	214.5	220.0	5.5	0.65	3.59	3.25	BSMT
MWNE-09-126	230.5	231.0	0.5	4.35	2.18	4.35	BSMT
MWNE-09-126	233.5	235.0	1.5	0.63	0.95	1.82	BSMT
MWNE-09-126	237.5	241.0	3.5	1.88	6.57	5.52	BSMT
including	240.0	241.0	1.0	5.10			
MWNE-09-126	244.5	245.0	0.5	0.05	0.03	0.05	BSMT
MWNE-09-126	250.0	250.5	0.5	0.55	0.28	0.55	BSMT
MWNE-09-126	254.0	254.5	0.5	0.53	0.27	0.53	BSMT
MWNE-09-126	256.5	257.0	0.5	0.44	0.22	0.44	BSMT
MWNE-09-126	267.5	268.0	0.5	0.07	0.04	0.07	BSMT
MWNE-09-126	269.5	271.5	3.5	4.27	14.94	19.80	BSMT
including	270.5	271.5	1.0	14.14			
MWNE-09-127	221.0	222.5	1.5	0.25	0.37	0.51	BSMT
MWNE-09-127	230.0	230.5	0.5	0.22	0.11	0.22	BSMT
MWNE-09-127	240.5	241.5	1.0	0.16	0.16	0.27	BSMT
MWNE-09-127	246.0	248.5	2.5	0.20	0.51	0.80	BSMT
MWNE-09-128	217.5	221.0	3.5	0.79	2.76	2.19	BSMT
MWNE-09-129	222.5	224.0	1.5	0.07	0.10	0.12	BSMT
MWNE-09-129	227.5	229.0	1.5	0.16	0.23	0.32	BSMT
MWNE-09-129	246.0	272.0	26.0	3.57	92.94	38.90	BSMT
including	258.0	259.5	1.5	3.76			
also including	262.5	267.5	5.0	15.65			
MWNE-09-130	205.5	206.0	0.5	0.05	0.03	0.05	SST
MWNE-09-130	221.5	226.5	5.0	0.21	1.05	1.12	UNC
MWNE-09-130	238.0	242.5	4.5	5.16	23.21	24.10	BSMT
including	240.5	241.5	1.0	19.25			
MWNE-09-130	246.5	247.0	0.5	0.20	0.10	0.20	BSMT
MWNE-09-130	250.0	253.5	3.5	0.40	1.39	1.97	BSMT
MWNE-09-130	257.0	259.0	2.0	4.21	8.41	15.00	BSMT

DDH	From (m)	To (m)	Interval (m)	U3O8 (wt%)	GT (Grade * Thickness)	Maximum Grade (wt%)	Mineralization Type
MWNE-09-131	234.0	247.5	13.5	9.64	130.19	48.10	BSMT
including	240.5	244.0	3.5	25.51			
MWNE-09-131	262.0	266.5	4.5	0.48	2.16	2.81	BSMT
MWNE-09-131	279.0	281.0	2.0	0.23	0.45	0.42	BSMT
MWNE-09-131	347.5	350.0	2.5	0.06	0.15	0.09	BSMT