

U₃O₈ Assay Data*

DDH	From (m)	To (m)	Interval (m)	U ₃ O ₈ (wt%)
MWNE-09-57A	238.5	239.0	0.5	0.0080
MWNE-09-57A	239.0	239.5	0.5	0.0510
MWNE-09-57A	239.5	240.0	0.5	1.5300
MWNE-09-57A	240.0	240.5	0.5	0.0040
MWNE-09-57A	240.5	241.0	0.5	0.0030
MWNE-09-62	218.0	218.5	0.5	0.0020
MWNE-09-62	218.5	219.0	0.5	0.0005
MWNE-09-62	219.0	219.5	0.5	0.0005
MWNE-09-62	219.5	220.0	0.5	0.0020
MWNE-09-62	220.0	220.5	0.5	0.0005
MWNE-09-62	220.5	221.0	0.5	0.0005
MWNE-09-62	221.0	221.5	0.5	0.8710
MWNE-09-62	221.5	222.0	0.5	0.0520
MWNE-09-62	222.0	222.5	0.5	0.0020
MWNE-09-62	222.5	223.0	0.5	0.0020
MWNE-09-62	223.0	223.5	0.5	0.0010
MWNE-09-62	223.5	224.0	0.5	0.0030
MWNE-09-62	224.0	224.5	0.5	0.0020
MWNE-09-62	224.5	225.0	0.5	0.0130
MWNE-09-62	225.0	225.5	0.5	0.0070
MWNE-09-62	225.5	226.0	0.5	0.0020
MWNE-09-62	226.0	226.5	0.5	0.0020
MWNE-09-62	226.5	227.0	0.5	0.0680
MWNE-09-62	227.0	227.5	0.5	0.0020
MWNE-09-62	227.5	228.0	0.5	4.4500
MWNE-09-62	228.0	228.5	0.5	0.0080
MWNE-09-62	228.5	229.0	0.5	0.0010
MWNE-09-62	229.0	230.0	1.0	0.0010
MWNE-09-62	230.0	231.0	1.0	0.0005
MWNE-09-62	231.0	231.5	0.5	0.0005
MWNE-09-62	231.5	232.0	0.5	0.0005
MWNE-09-62	232.0	232.5	0.5	0.0005
MWNE-09-62	232.5	233.0	0.5	0.0005
MWNE-09-62	233.0	233.5	0.5	0.0005
MWNE-09-62	233.5	234.0	0.5	0.0005
MWNE-09-62	234.0	234.5	0.5	1.2800
MWNE-09-62	234.5	235.0	0.5	0.0560
MWNE-09-62	235.0	235.5	0.5	0.0020
MWNE-09-62	235.5	236.0	0.5	0.0010
MWNE-09-62	236.0	236.5	0.5	0.0005
MWNE-09-62	236.5	237.0	0.5	0.0005
MWNE-09-62	237.0	237.5	0.5	0.0005
MWNE-09-62	237.5	238.0	0.5	0.0020
MWNE-09-62	383.9	384.4	0.5	0.0070
MWNE-09-64	221.0	221.5	0.5	0.0080

*The reader is cautioned that all intersections reported are down-hole, core-length intervals and true thickness of mineralization is yet to be determined.

DDH	From	To	Interval	U3O8
	(m)	(m)	(m)	(wt%)
MWNE-09-64	221.5	222.0	0.5	0.0020
MWNE-09-64	222.0	222.5	0.5	0.0040
MWNE-09-64	222.5	223.0	0.5	0.0005
MWNE-09-64	223.0	223.5	0.5	0.0020
MWNE-09-64	223.5	224.0	0.5	0.0020
MWNE-09-64	224.0	224.5	0.5	0.0580
MWNE-09-64	224.5	225.0	0.5	0.0210
MWNE-09-64	225.0	225.5	0.5	0.0010
MWNE-09-64	225.5	226.0	0.5	0.0005
MWNE-09-64	226.0	226.5	0.5	0.0020
MWNE-09-64	226.5	227.0	0.5	0.0240
MWNE-09-64	227.0	227.5	0.5	0.0110
MWNE-09-64	227.5	228.0	0.5	0.0820
MWNE-09-64	228.0	228.5	0.5	0.1020
MWNE-09-64	228.5	229.0	0.5	0.1210
MWNE-09-64	229.0	229.5	0.5	0.1910
MWNE-09-64	229.5	230.0	0.5	0.0600
MWNE-09-64	230.0	230.5	0.5	0.0210
MWNE-09-64	230.5	231.0	0.5	0.0160
MWNE-09-64	231.0	232.0	1.0	0.0870
MWNE-09-64	232.0	233.0	1.0	0.0840
MWNE-09-64	233.0	234.0	1.0	0.0540
MWNE-09-64	234.0	234.5	0.5	0.0120
MWNE-09-64	234.5	235.0	0.5	0.0040
MWNE-09-64	235.0	235.5	0.5	0.0050
MWNE-09-64	235.5	236.0	0.5	0.0005
MWNE-09-64	236.0	236.5	0.5	0.0010
MWNE-09-64	236.5	237.0	0.5	0.0010
MWNE-09-64	237.0	237.5	0.5	0.0005
MWNE-09-64	237.5	238.0	0.5	0.0180
MWNE-09-64	238.0	238.5	0.5	0.0060
MWNE-09-64	238.5	239.0	0.5	0.0005
MWNE-09-64	239.0	239.5	0.5	0.0005
MWNE-09-64	239.5	240.0	0.5	0.0020
MWNE-09-64	240.0	240.5	0.5	0.0005
MWNE-09-64	240.5	241.0	0.5	0.0010
MWNE-09-64	241.0	241.5	0.5	0.0130
MWNE-09-64	241.5	242.0	0.5	0.0040
MWNE-09-64	242.0	242.5	0.5	0.0010
MWNE-09-64	242.5	243.0	0.5	0.0005
MWNE-09-64	243.0	243.5	0.5	0.0010
MWNE-09-64	243.5	244.0	0.5	0.0005
MWNE-09-64	244.0	244.5	0.5	0.0005
MWNE-09-64	244.5	245.0	0.5	0.0200
MWNE-09-64	245.0	245.5	0.5	0.0005

DDH	From	To	Interval	U3O8
	(m)	(m)	(m)	(wt%)
MWNE-09-64	245.5	246.0	0.5	0.1120
MWNE-09-64	246.0	246.5	0.5	0.2840
MWNE-09-64	246.5	247.0	0.5	0.0240
MWNE-09-64	247.0	247.5	0.5	0.0005
MWNE-09-64	247.5	248.0	0.5	0.0005
MWNE-09-64	248.0	248.5	0.5	0.0010
MWNE-09-64	248.5	249.0	0.5	0.0005
MWNE-09-64	249.0	249.5	0.5	0.0010
MWNE-09-64	249.5	250.0	0.5	0.0005
MWNE-09-64	250.0	250.5	0.5	0.0010
MWNE-09-64	250.5	251.0	0.5	0.0005
MWNE-09-64	251.0	252.0	1.0	0.0030
MWNE-09-64	252.0	252.5	0.5	0.0350
MWNE-09-64	252.5	253.0	0.5	0.0030
MWNE-09-64	253.0	253.5	0.5	0.0020
MWNE-09-64	253.5	254.0	0.5	0.0005
MWNE-09-64	254.0	254.5	0.5	0.2630
MWNE-09-64	254.5	255.0	0.5	0.0030
MWNE-09-64	255.0	255.5	0.5	0.0010
MWNE-09-64	255.5	256.0	0.5	0.0010
MWNE-09-64	256.0	256.5	0.5	0.0020
MWNE-09-64	256.5	257.0	0.5	0.0010
MWNE-09-64	257.0	257.5	0.5	0.0040
MWNE-09-64	257.5	258.0	0.5	0.0110
MWNE-09-64	258.0	258.5	0.5	0.0005
MWNE-09-64	258.5	259.0	0.5	0.0010
MWNE-09-64	259.0	259.5	0.5	0.0005
MWNE-09-64	259.5	260.0	0.5	0.0005
MWNE-09-64	260.0	260.5	0.5	0.0005
MWNE-09-64	260.5	261.0	0.5	0.0005
MWNE-09-64	261.0	261.5	0.5	0.0005
MWNE-09-64	261.5	262.0	0.5	0.0020
MWNE-09-64	262.0	262.5	0.5	0.0340
MWNE-09-64	262.5	263.0	0.5	1.1100
MWNE-09-64	263.0	263.5	0.5	4.6100
MWNE-09-64	263.5	264.0	0.5	0.1380
MWNE-09-64	264.0	264.5	0.5	0.0020
MWNE-09-64	264.5	265.0	0.5	0.0010
MWNE-09-64	265.0	265.5	0.5	0.0320
MWNE-09-64	265.5	266.0	0.5	0.0050
MWNE-09-64	266.0	266.5	0.5	0.0090
MWNE-09-64	266.5	267.0	0.5	0.0020
MWNE-09-64	282.0	282.5	0.5	0.1080
MWNE-09-64	282.5	283.0	0.5	0.0560
MWNE-09-64	283.0	283.5	0.5	0.0040

DDH	From (m)	To (m)	Interval (m)	U3O8 (wt%)
MWNE-09-64	283.5	284.0	0.5	0.0005
MWNE-09-64	284.0	284.5	0.5	0.0005
MWNE-09-64	284.5	285.0	0.5	0.0005
MWNE-09-64	285.0	285.5	0.5	0.0005
MWNE-09-64	285.5	286.0	0.5	0.0005
MWNE-09-64	343.5	344.0	0.5	0.0005
MWNE-09-64	344.0	344.5	0.5	0.0010
MWNE-09-64	344.5	345.0	0.5	0.0010
MWNE-09-64	345.0	345.5	0.5	0.0260
MWNE-09-64	345.5	346.0	0.5	0.0760
MWNE-09-64	346.0	346.5	0.5	0.0030
MWNE-09-64	346.5	347.0	0.5	0.0010
MWNE-09-64	347.0	347.5	0.5	0.0010
MWNE-09-67	243.0	243.5	0.5	0.0220
MWNE-09-67	243.5	244.0	0.5	0.0960
MWNE-09-67	244.0	244.5	0.5	0.0130
MWNE-09-67	244.5	245.0	0.5	0.0030
MWNE-09-68	198.0	198.5	0.5	0.0020
MWNE-09-68	198.5	199.0	0.5	0.0020
MWNE-09-68	199.0	199.5	0.5	0.0005
MWNE-09-68	199.5	200.0	0.5	0.0010
MWNE-09-68	200.0	200.5	0.5	0.0030
MWNE-09-68	200.5	201.0	0.5	0.0090
MWNE-09-68	201.0	201.5	0.5	0.2450
MWNE-09-68	201.5	202.0	0.5	0.0080
MWNE-09-68	202.0	202.5	0.5	0.0110
MWNE-09-68	202.5	203.0	0.5	0.0110
MWNE-09-68	203.0	203.5	0.5	0.0170
MWNE-09-68	203.5	204.0	0.5	0.0130
MWNE-09-68	204.0	204.5	0.5	0.9280
MWNE-09-68	204.5	205.0	0.5	0.0970
MWNE-09-68	205.0	205.5	0.5	0.0920
MWNE-09-68	205.5	206.0	0.5	0.0100
MWNE-09-68	206.0	206.5	0.5	0.2710
MWNE-09-68	206.5	207.0	0.5	0.0240
MWNE-09-68	207.0	207.5	0.5	0.2050
MWNE-09-68	207.5	208.0	0.5	0.0060
MWNE-09-68	208.0	208.5	0.5	0.0020
MWNE-09-68	208.5	209.0	0.5	0.0120
MWNE-09-68	209.0	209.5	0.5	0.0130
MWNE-09-68	209.5	210.0	0.5	0.0160
MWNE-09-68	210.0	210.5	0.5	0.0260
MWNE-09-68	210.5	211.0	0.5	0.0080
MWNE-09-68	211.0	211.5	0.5	0.0150
MWNE-09-68	211.5	212.0	0.5	0.0180

DDH	From	To	Interval	U3O8
	(m)	(m)	(m)	(wt%)
MWNE-09-68	212.0	212.5	0.5	0.1490
MWNE-09-68	212.5	213.0	0.5	0.1480
MWNE-09-68	213.0	213.5	0.5	0.0110
MWNE-09-68	213.5	214.0	0.5	0.0100
MWNE-09-68	214.0	214.5	0.5	0.0790
MWNE-09-68	214.5	215.0	0.5	0.0060
MWNE-09-68	215.0	215.5	0.5	0.0060
MWNE-09-68	215.5	216.0	0.5	0.0070
MWNE-09-68	216.0	216.5	0.5	0.0140
MWNE-09-68	216.5	217.0	0.5	0.0250
MWNE-09-68	217.0	217.5	0.5	0.0140
MWNE-09-68	217.5	218.0	0.5	0.2500
MWNE-09-68	218.0	218.5	0.5	0.0160
MWNE-09-68	218.5	219.0	0.5	0.1040
MWNE-09-68	219.0	219.5	0.5	0.0040
MWNE-09-68	219.5	220.0	0.5	0.0040
MWNE-09-68	220.0	220.5	0.5	0.0010
MWNE-09-68	220.5	221.0	0.5	0.0030
MWNE-09-68	221.0	221.5	0.5	0.0030
MWNE-09-68	221.5	222.0	0.5	0.0010
MWNE-09-68	222.0	222.5	0.5	0.0005
MWNE-09-68	391.6	392.0	0.4	0.0005
MWNE-09-68	392.0	392.4	0.4	0.0070
MWNE-09-68	392.4	392.8	0.4	0.0005
MWNE-09-70	378.0	378.5	0.5	0.0060
MWNE-09-70	378.5	379.0	0.5	0.0040
MWNE-09-70	379.0	379.5	0.5	0.0180
MWNE-09-70	379.5	380.0	0.5	0.0630
MWNE-09-70	380.0	380.5	0.5	0.1600
MWNE-09-70	380.5	381.0	0.5	0.2430
MWNE-09-70	381.0	381.5	0.5	0.0150
MWNE-09-70	381.5	382.0	0.5	0.0040
MWNE-09-70	382.0	382.5	0.5	0.0020
MWNE-09-70	382.5	383.0	0.5	0.0020
MWNE-09-71	233.0	234.0	1.0	0.0020
MWNE-09-71	234.0	234.5	0.5	0.0030
MWNE-09-71	234.5	235.0	0.5	0.0130
MWNE-09-71	235.0	235.5	0.5	0.0260
MWNE-09-71	235.5	236.0	0.5	0.0080
MWNE-09-71	236.0	236.5	0.5	0.0020
MWNE-09-71	236.5	237.0	0.5	0.0060
MWNE-09-71	237.0	237.5	0.5	0.0020
MWNE-09-71	237.5	238.0	0.5	0.1140
MWNE-09-71	238.0	238.5	0.5	0.0060
MWNE-09-71	238.5	239.0	0.5	0.0060

DDH	From	To	Interval	U3O8
	(m)	(m)	(m)	(wt%)
MWNE-09-71	239.0	239.5	0.5	0.0220
MWNE-09-71	239.5	240.0	0.5	0.0190
MWNE-09-71	240.0	240.5	0.5	0.0310
MWNE-09-71	240.5	241.0	0.5	0.0020
MWNE-09-71	241.0	242.0	1.0	0.0070
MWNE-09-71	242.0	243.0	1.0	0.0160
MWNE-09-71	243.0	244.0	1.0	0.0320
MWNE-09-71	244.0	245.0	1.0	0.0160
MWNE-09-71	245.0	245.5	0.5	0.0060
MWNE-09-71	245.5	246.0	0.5	0.0010
MWNE-09-71	246.0	246.5	0.5	0.0110
MWNE-09-71	246.5	247.0	0.5	0.0220
MWNE-09-71	247.0	247.5	0.5	0.0020
MWNE-09-71	247.5	248.0	0.5	0.0060
MWNE-09-71	248.0	248.5	0.5	0.7300
MWNE-09-71	248.5	249.0	0.5	3.2300
MWNE-09-71	249.0	249.5	0.5	3.0200
MWNE-09-71	249.5	250.0	0.5	4.4200
MWNE-09-71	250.0	250.5	0.5	0.3650
MWNE-09-71	250.5	251.0	0.5	13.0000
MWNE-09-71	251.0	251.5	0.5	0.2670
MWNE-09-71	251.5	252.0	0.5	0.0250
MWNE-09-71	252.0	252.5	0.5	0.0030
MWNE-09-71	252.5	253.0	0.5	0.0020
MWNE-09-71	253.0	253.5	0.5	0.0020
MWNE-09-71	253.5	254.0	0.5	0.0005
MWNE-09-71	254.0	254.5	0.5	0.0005
MWNE-09-71	254.5	255.0	0.5	0.0090
MWNE-09-71	255.0	255.5	0.5	0.0450
MWNE-09-71	255.5	256.0	0.5	0.0010
MWNE-09-71	256.0	256.5	0.5	0.0010
MWNE-09-71	256.5	257.0	0.5	0.0070
MWNE-09-71	257.0	257.5	0.5	0.0170
MWNE-09-71	257.5	258.0	0.5	0.6120
MWNE-09-71	258.0	258.5	0.5	1.7300
MWNE-09-71	258.5	259.0	0.5	0.0005
MWNE-09-71	259.0	259.5	0.5	0.0005
MWNE-09-71	259.5	260.0	0.5	0.0005
MWNE-09-71	260.0	260.5	0.5	0.0005
MWNE-09-71	260.5	261.0	0.5	0.0005
MWNE-09-71	261.0	261.5	0.5	0.0240
MWNE-09-71	261.5	262.0	0.5	0.0280
MWNE-09-71	262.0	262.5	0.5	0.1630
MWNE-09-71	262.5	263.0	0.5	0.9150
MWNE-09-71	263.0	263.5	0.5	0.1600

DDH	From	To	Interval	U3O8
	(m)	(m)	(m)	(wt%)
MWNE-09-71	263.5	264.0	0.5	0.0050
MWNE-09-71	264.0	264.5	0.5	0.0030
MWNE-09-71	264.5	265.0	0.5	0.0020
MWNE-09-71	265.0	265.5	0.5	0.0005
MWNE-09-71	265.5	266.0	0.5	0.0005
MWNE-09-71	266.0	267.0	1.0	0.0010
MWNE-09-71	267.0	268.0	1.0	0.0005
MWNE-09-71	268.0	269.0	1.0	0.0010
MWNE-09-71	269.0	270.0	1.0	0.0030
MWNE-09-71	270.0	271.0	1.0	0.0070
MWNE-09-71	271.0	272.0	1.0	0.0020
MWNE-09-71	272.0	273.0	1.0	0.0140
MWNE-09-71	273.0	273.5	0.5	0.0180
MWNE-09-71	273.5	274.0	0.5	0.0090
MWNE-09-71	274.0	274.5	0.5	0.0190
MWNE-09-71	274.5	275.0	0.5	0.0320
MWNE-09-71	275.0	275.5	0.5	0.0920
MWNE-09-71	275.5	276.0	0.5	0.0650
MWNE-09-71	276.0	276.5	0.5	0.0040
MWNE-09-71	276.5	277.0	0.5	0.0005
MWNE-09-71	277.0	277.5	0.5	0.0005
MWNE-09-71	277.5	278.0	0.5	0.0010
MWNE-09-71	278.0	279.0	1.0	0.0270
MWNE-09-71	279.0	280.0	1.0	0.0070
MWNE-09-71	280.0	281.0	1.0	0.0020
MWNE-09-71	281.0	282.0	1.0	0.0040
MWNE-09-71	282.0	283.0	1.0	0.0550
MWNE-09-71	283.0	284.0	1.0	0.0060
MWNE-09-71	284.0	285.0	1.0	0.0005
MWNE-09-72	213.0	213.5	0.5	0.0180
MWNE-09-72	213.5	214.0	0.5	0.0090
MWNE-09-72	214.0	214.5	0.5	0.0360
MWNE-09-72	214.5	215.0	0.5	0.0060
MWNE-09-72	215.0	215.5	0.5	0.0180
MWNE-09-72	215.5	216.0	0.5	0.0120
MWNE-09-72	216.0	216.5	0.5	0.0220
MWNE-09-72	216.5	217.0	0.5	0.0220
MWNE-09-72	217.0	217.5	0.5	0.0250
MWNE-09-72	217.5	218.0	0.5	0.0230
MWNE-09-72	218.0	218.5	0.5	0.1010
MWNE-09-72	218.5	219.0	0.5	0.1310
MWNE-09-72	219.0	220.0	1.0	0.0270
MWNE-09-72	220.0	221.0	1.0	0.1150
MWNE-09-72	221.0	222.0	1.0	0.0260
MWNE-09-72	222.0	222.5	0.5	0.0140

DDH	From (m)	To (m)	Interval (m)	U3O8 (wt%)
MWNE-09-72	222.5	223.0	0.5	0.0270
MWNE-09-72	223.0	223.5	0.5	0.0200
MWNE-09-72	223.5	224.0	0.5	0.0080
MWNE-09-72	224.0	225.0	1.0	0.0310
MWNE-09-72	225.0	225.5	0.5	0.0960
MWNE-09-72	225.5	226.0	0.5	0.0100
MWNE-09-72	226.0	227.0	1.0	0.0370
MWNE-09-72	227.0	228.0	1.0	0.0420
MWNE-09-72	228.0	231.0	3.0	0.0020
MWNE-09-72	231.0	232.0	1.0	0.0040
MWNE-09-72	232.0	233.0	1.0	0.0020
MWNE-09-72	233.0	234.0	1.0	0.0010
MWNE-09-72	234.0	234.5	0.5	0.0005
MWNE-09-72	234.5	235.0	0.5	0.0005
MWNE-09-72	235.0	236.0	1.0	0.0005
MWNE-09-72	236.0	237.0	1.0	0.0005
MWNE-09-72	237.0	238.0	1.0	0.0005
MWNE-09-72	238.0	239.0	1.0	0.0005
MWNE-09-72	239.0	240.0	1.0	0.0120
MWNE-09-72	240.0	241.0	1.0	0.0320
MWNE-09-72	241.0	241.5	0.5	0.0060
MWNE-09-72	241.5	242.0	0.5	0.0010
MWNE-09-72	242.0	242.5	0.5	0.0280
MWNE-09-72	242.5	243.0	0.5	0.0140
MWNE-09-72	243.0	243.5	0.5	0.0010
MWNE-09-72	243.5	244.0	0.5	0.0020
MWNE-09-72	244.0	244.5	0.5	0.0150
MWNE-09-72	244.5	245.0	0.5	0.9690
MWNE-09-72	245.0	245.5	0.5	0.0360
MWNE-09-72	245.5	246.0	0.5	0.0480
MWNE-09-72	246.0	246.5	0.5	0.0010
MWNE-09-72	246.5	247.0	0.5	0.0020
MWNE-09-72	247.0	247.5	0.5	0.0020
MWNE-09-72	247.5	248.0	0.5	0.0190
MWNE-09-72	248.0	248.5	0.5	0.0010
MWNE-09-72	248.5	249.0	0.5	0.0010
MWNE-09-72	249.0	250.0	1.0	0.0010
MWNE-09-72	250.0	251.0	1.0	0.0030
MWNE-09-72	251.0	251.5	0.5	0.0005
MWNE-09-72	251.5	252.0	0.5	0.0005
MWNE-09-72	252.0	252.5	0.5	0.0020
MWNE-09-72	252.5	253.0	0.5	0.0140
MWNE-09-72	253.0	253.5	0.5	0.0020
MWNE-09-72	253.5	254.0	0.5	0.0010
MWNE-09-72	254.0	254.5	0.5	0.0300

DDH	From (m)	To (m)	Interval (m)	U3O8 (wt%)
MWNE-09-72	254.5	255.0	0.5	0.1020
MWNE-09-72	255.0	255.5	0.5	0.4940
MWNE-09-72	255.5	256.0	0.5	0.1740
MWNE-09-72	256.0	256.5	0.5	0.0005
MWNE-09-72	256.5	257.0	0.5	0.0010
MWNE-09-72	257.0	257.5	0.5	0.0010
MWNE-09-72	257.5	258.0	0.5	0.0020
MWNE-09-72	258.0	258.5	0.5	0.0010
MWNE-09-72	314.5	315.0		0.0030
MWNE-09-72	315.0	315.5		0.0080
MWNE-09-72	315.5	316.0		0.0020
MWNE-09-74	240.0	241.0	1.0	0.0050
MWNE-09-74	241.0	241.5	0.5	0.0230
MWNE-09-74	241.5	242.0	0.5	0.0050
MWNE-09-74	242.0	242.5	0.5	0.0005
MWNE-09-74	242.5	243.0	0.5	0.0020
MWNE-09-74	243.0	243.5	0.5	0.0020
MWNE-09-74	243.5	244.0	0.5	0.0120
MWNE-09-74	244.0	244.5	0.5	0.0940
MWNE-09-74	244.5	245.0	0.5	0.3920
MWNE-09-74	245.0	245.5	0.5	0.0450
MWNE-09-74	245.5	246.0	0.5	0.0370
MWNE-09-74	246.0	246.5	0.5	0.0240
MWNE-09-74	246.5	247.0	0.5	0.0260
MWNE-09-74	247.0	247.5	0.5	0.0040
MWNE-09-74	247.5	248.0	0.5	0.2350
MWNE-09-74	248.0	248.5	0.5	3.0900
MWNE-09-74	248.5	249.0	0.5	4.1900
MWNE-09-74	249.0	249.5	0.5	0.2480
MWNE-09-74	249.5	250.0	0.5	4.2700
MWNE-09-74	250.0	250.5	0.5	4.1500
MWNE-09-74	250.5	251.0	0.5	6.4300
MWNE-09-74	251.0	251.5	0.5	8.9100
MWNE-09-74	251.5	252.0	0.5	2.9100
MWNE-09-74	252.0	252.5	0.5	0.5700
MWNE-09-74	252.5	253.0	0.5	0.0940
MWNE-09-74	253.0	253.5	0.5	0.0210
MWNE-09-74	253.5	254.0	0.5	0.0240
MWNE-09-74	254.0	254.5	0.5	0.0400
MWNE-09-74	254.5	255.0	0.5	0.0180
MWNE-09-74	255.0	255.5	0.5	0.0530
MWNE-09-74	255.5	256.0	0.5	0.1500
MWNE-09-74	256.0	256.5	0.5	0.0430
MWNE-09-74	256.5	257.0	0.5	0.0130
MWNE-09-74	257.0	257.5	0.5	0.0260

DDH	From	To	Interval	U3O8
	(m)	(m)	(m)	(wt%)
MWNE-09-74	257.5	258.0	0.5	0.0090
MWNE-09-74	258.0	258.5	0.5	0.4790
MWNE-09-74	258.5	259.0	0.5	0.3810
MWNE-09-74	259.0	259.5	0.5	0.9610
MWNE-09-74	259.5	260.0	0.5	0.1130
MWNE-09-74	260.0	260.5	0.5	0.2510
MWNE-09-74	260.5	261.0	0.5	2.0800
MWNE-09-74	261.0	261.5	0.5	2.6300
MWNE-09-74	261.5	262.0	0.5	0.7590
MWNE-09-74	262.0	262.5	0.5	0.0120
MWNE-09-74	262.5	263.0	0.5	2.1500
MWNE-09-74	263.0	263.5	0.5	0.8380
MWNE-09-74	263.5	264.0	0.5	0.1630
MWNE-09-74	264.0	264.5	0.5	0.0240
MWNE-09-74	264.5	265.0	0.5	0.0460
MWNE-09-74	265.0	265.5	0.5	0.0860
MWNE-09-74	265.5	266.0	0.5	0.0040
MWNE-09-74	266.0	266.5	0.5	0.0040
MWNE-09-74	266.5	267.0	0.5	0.0080
MWNE-09-74	267.0	267.5	0.5	0.1530
MWNE-09-74	267.5	268.0	0.5	0.0480
MWNE-09-74	268.0	268.5	0.5	0.0030
MWNE-09-74	268.5	269.0	0.5	0.0030
MWNE-09-74	269.0	269.5	0.5	0.0020
MWNE-09-74	269.5	270.0	0.5	0.0010
MWNE-09-74	270.0	270.5	0.5	0.0020
MWNE-09-74	270.5	271.0	0.5	0.0005
MWNE-09-74	271.0	271.5	0.5	0.0005
MWNE-09-74	271.5	272.0	0.5	0.0200
MWNE-09-74	272.0	272.5	0.5	0.1710
MWNE-09-74	272.5	273.0	0.5	0.0250
MWNE-09-74	273.0	273.5	0.5	0.0020
MWNE-09-74	273.5	274.0	0.5	0.0070
MWNE-09-74	274.0	274.5	0.5	0.0670
MWNE-09-74	274.5	275.0	0.5	0.0080
MWNE-09-74	275.0	276.0	1.0	0.0080
MWNE-09-74	284.0	285.0	1.0	0.0020
MWNE-09-74	285.0	285.5	0.5	0.0005
MWNE-09-74	285.5	286.0	0.5	0.0005
MWNE-09-74	286.0	286.5	0.5	0.0020
MWNE-09-74	286.5	287.0	0.5	0.0030
MWNE-09-74	287.0	287.5	0.5	0.0090
MWNE-09-74	287.5	288.0	0.5	0.0280
MWNE-09-74	288.0	288.5	0.5	0.0250
MWNE-09-74	288.5	289.0	0.5	0.0030

DDH	From (m)	To (m)	Interval (m)	U3O8 (wt%)
MWNE-09-74	289.0	289.5	0.5	0.0020
MWNE-09-74	289.5	290.0	0.5	0.0005
MWNE-09-74	290.0	290.5	0.5	0.0070
MWNE-09-74	290.5	291.0	0.5	0.0030
MWNE-09-74	291.0	292.0	1.0	0.0005
MWNE-09-78	267.0	268.0	1.0	0.0010
MWNE-09-78	268.0	269.0	1.0	0.0020
MWNE-09-78	269.0	270.0	1.0	0.0180
MWNE-09-78	270.0	270.5	0.5	0.2300
MWNE-09-78	270.5	271.0	0.5	0.1320
MWNE-09-78	271.0	271.5	0.5	0.2640
MWNE-09-78	271.5	272.0	0.5	0.0050
MWNE-09-78	272.0	272.5	0.5	0.0020
MWNE-09-78	272.5	273.0	0.5	0.0020
MWNE-09-78	273.0	273.5	0.5	0.0020
MWNE-09-78	273.5	274.0	0.5	0.0020
MWNE-09-78	274.0	275.0	1.0	0.0180
MWNE-09-78	306.0	307.0	1.0	0.0020
MWNE-09-78	307.0	309.0	2.0	0.0070
MWNE-09-78	309.0	310.0	1.0	0.0560
MWNE-09-78	310.0	311.0	1.0	0.0060
MWNE-09-78	311.0	312.0	1.0	0.0370
MWNE-09-79A	227.0	227.5	0.5	0.0060
MWNE-09-79A	227.5	228.0	0.5	0.0050
MWNE-09-79A	228.0	228.5	0.5	0.0070
MWNE-09-79A	228.5	229.0	0.5	0.0070
MWNE-09-79A	229.0	229.5	0.5	0.0140
MWNE-09-79A	229.5	230.0	0.5	0.0150
MWNE-09-79A	230.0	230.5	0.5	0.0780
MWNE-09-79A	230.5	231.0	0.5	0.0060
MWNE-09-79A	231.0	231.5	0.5	0.0130
MWNE-09-79A	231.5	232.0	0.5	0.0160
MWNE-09-79A	232.0	232.5	0.5	0.3720
MWNE-09-79A	232.5	233.0	0.5	0.3130
MWNE-09-79A	233.0	233.5	0.5	15.4000
MWNE-09-79A	233.5	234.0	0.5	36.6000
MWNE-09-79A	234.0	234.5	0.5	24.4000
MWNE-09-79A	234.5	235.0	0.5	22.6000
MWNE-09-79A	235.0	235.5	0.5	18.9000
MWNE-09-79A	235.5	236.0	0.5	1.8100
MWNE-09-79A	236.0	236.5	0.5	5.2800
MWNE-09-79A	236.5	237.0	0.5	10.9000
MWNE-09-79A	237.0	237.5	0.5	7.4500
MWNE-09-79A	237.5	238.0	0.5	11.1000
MWNE-09-79A	238.0	238.5	0.5	7.2400

DDH	From (m)	To (m)	Interval (m)	U3O8 (wt%)
MWNE-09-79A	238.5	239.0	0.5	8.2800
MWNE-09-79A	239.0	239.5	0.5	15.7000
MWNE-09-79A	239.5	240.0	0.5	6.6000
MWNE-09-79A	240.0	240.5	0.5	0.6470
MWNE-09-79A	240.5	241.0	0.5	9.4300
MWNE-09-79A	241.0	241.5	0.5	4.2200
MWNE-09-79A	241.5	242.0	0.5	4.2000
MWNE-09-79A	242.0	242.5	0.5	2.2500
MWNE-09-79A	242.5	243.0	0.5	17.8000
MWNE-09-79A	243.0	243.5	0.5	8.7800
MWNE-09-79A	243.5	244.0	0.5	4.0700
MWNE-09-79A	244.0	244.5	0.5	0.0330
MWNE-09-79A	244.5	245.0	0.5	0.0270
MWNE-09-79A	245.0	245.5	0.5	0.0010
MWNE-09-79A	245.5	246.0	0.5	0.0030
MWNE-09-79A	246.0	246.5	0.5	0.0160
MWNE-09-79A	246.5	247.0	0.5	0.0005
MWNE-09-79A	247.0	247.5	0.5	0.0010
MWNE-09-79A	247.5	248.0	0.5	0.0040
MWNE-09-79A	248.0	248.5	0.5	0.0030
MWNE-09-79A	248.5	249.0	0.5	0.0130
MWNE-09-79A	249.0	249.5	0.5	0.0160
MWNE-09-79A	249.5	250.0	0.5	0.0020
MWNE-09-79A	250.0	250.5	0.5	0.0330
MWNE-09-79A	250.5	251.0	0.5	0.0020
MWNE-09-79A	251.0	251.5	0.5	0.8150
MWNE-09-79A	251.5	252.0	0.5	1.3500
MWNE-09-79A	252.0	252.5	0.5	0.2440
MWNE-09-79A	252.5	253.0	0.5	0.6840
MWNE-09-79A	253.0	253.5	0.5	0.1010
MWNE-09-79A	253.5	254.0	0.5	0.0020
MWNE-09-79A	254.0	254.5	0.5	0.0010
MWNE-09-79A	254.5	255.0	0.5	0.0005
MWNE-09-79A	255.0	255.5	0.5	0.0005
MWNE-09-79A	255.5	256.0	0.5	0.0005
MWNE-09-79A	256.0	256.5	0.5	0.0005
MWNE-09-79A	256.5	257.0	0.5	0.0050
MWNE-09-79A	257.0	257.5	0.5	0.0005
MWNE-09-80	221.0	221.5	0.5	0.0040
MWNE-09-80	221.5	222.0	0.5	0.0880
MWNE-09-80	222.0	222.5	0.5	0.0440
MWNE-09-80	222.5	223.0	0.5	0.0020
MWNE-09-80	223.0	223.5	0.5	0.0060
MWNE-09-80	223.5	224.0	0.5	0.0860
MWNE-09-80	224.0	224.5	0.5	0.0420

DDH	From (m)	To (m)	Interval (m)	U3O8 (wt%)
MWNE-09-80	224.5	225.0	0.5	0.4860
MWNE-09-80	225.0	225.5	0.5	0.0660
MWNE-09-80	225.5	226.0	0.5	1.7800
MWNE-09-80	226.0	226.5	0.5	2.0800
MWNE-09-80	226.5	227.0	0.5	3.0200
MWNE-09-80	227.0	227.5	0.5	0.2700
MWNE-09-80	227.5	228.0	0.5	0.3240
MWNE-09-80	228.0	228.5	0.5	0.2850
MWNE-09-80	228.5	229.0	0.5	0.1930
MWNE-09-80	229.0	229.5	0.5	0.0880
MWNE-09-80	229.5	230.0	0.5	0.1440
MWNE-09-80	230.0	230.5	0.5	0.0180
MWNE-09-80	230.5	231.0	0.5	1.1200
MWNE-09-80	231.0	231.5	0.5	0.6940
MWNE-09-80	231.5	232.0	0.5	1.0600
MWNE-09-80	232.0	232.5	0.5	3.4400
MWNE-09-80	232.5	233.0	0.5	1.0300
MWNE-09-80	233.0	233.5	0.5	5.0100
MWNE-09-80	233.5	234.0	0.5	0.1140
MWNE-09-80	234.0	234.5	0.5	4.2800
MWNE-09-80	234.5	235.0	0.5	0.4490
MWNE-09-80	235.0	235.5	0.5	1.2600
MWNE-09-80	235.5	236.0	0.5	9.8000
MWNE-09-80	236.0	236.5	0.5	0.1740
MWNE-09-80	236.5	237.0	0.5	0.3240
MWNE-09-80	237.0	237.5	0.5	23.6000
MWNE-09-80	237.5	238.0	0.5	0.6000
MWNE-09-80	238.0	238.5	0.5	0.0090
MWNE-09-80	238.5	239.0	0.5	0.0950
MWNE-09-80	239.0	239.5	0.5	4.2900
MWNE-09-80	239.5	240.0	0.5	32.4000
MWNE-09-80	240.0	240.5	0.5	6.5600
MWNE-09-80	240.5	241.0	0.5	0.0590
MWNE-09-80	241.0	241.5	0.5	0.0220
MWNE-09-80	241.5	242.0	0.5	21.7000
MWNE-09-80	242.0	242.5	0.5	0.0390
MWNE-09-80	242.5	243.0	0.5	0.0030
MWNE-09-80	243.0	243.5	0.5	0.0090
MWNE-09-80	243.5	244.0	0.5	0.1350
MWNE-09-80	244.0	244.5	0.5	0.0350
MWNE-09-80	244.5	245.0	0.5	0.0005
MWNE-09-80	245.0	245.5	0.5	0.1510
MWNE-09-80	245.5	246.0	0.5	0.4420
MWNE-09-80	246.0	246.5	0.5	0.0800
MWNE-09-80	246.5	247.0	0.5	0.0020

DDH	From (m)	To (m)	Interval (m)	U3O8 (wt%)
MWNE-09-80	247.0	247.5	0.5	0.0020
MWNE-09-80	247.5	248.0	0.5	0.0005
MWNE-09-80	248.0	248.5	0.5	0.0005
MWNE-09-80	248.5	249.0	0.5	0.0020
MWNE-09-80	249.0	249.5	0.5	0.0010
MWNE-09-80	249.5	250.0	0.5	0.0005
MWNE-09-80	261.5	262.0	0.5	0.1090
MWNE-09-80	262.0	262.5	0.5	0.5040
MWNE-09-80	262.5	263.0	0.5	0.3900
MWNE-09-80	263.0	263.5	0.5	0.0040
MWNE-09-82	246.5	247.0	0.5	0.0005
MWNE-09-82	247.0	247.5	0.5	0.0005
MWNE-09-82	247.5	248.0	0.5	0.0005
MWNE-09-82	248.0	248.5	0.5	0.0010
MWNE-09-82	248.5	249.0	0.5	0.0005
MWNE-09-82	249.0	249.5	0.5	0.0050
MWNE-09-82	249.5	250.0	0.5	0.2670
MWNE-09-82	250.0	250.5	0.5	0.0580
MWNE-09-82	250.5	251.0	0.5	0.5440
MWNE-09-82	251.0	251.5	0.5	0.0005
MWNE-09-82	251.5	252.0	0.5	0.0005
MWNE-09-82	252.0	252.5	0.5	0.0005
MWNE-09-82	252.5	253.0	0.5	0.0020
MWNE-09-82	253.0	253.5	0.5	0.0005
MWNE-09-82	253.5	254.0	0.5	0.0020
MWNE-09-82	254.0	254.5	0.5	0.0005
MWNE-09-82	254.5	255.0	0.5	0.3030
MWNE-09-82	255.0	255.5	0.5	6.8600
MWNE-09-82	255.5	256.0	0.5	6.0300
MWNE-09-82	256.0	256.5	0.5	4.7300
MWNE-09-82	256.5	257.0	0.5	0.1840
MWNE-09-82	257.0	257.5	0.5	0.0030
MWNE-09-82	257.5	258.0	0.5	0.0030
MWNE-09-82	258.0	258.5	0.5	0.1960
MWNE-09-82	258.5	259.0	0.5	0.0600
MWNE-09-82	259.0	259.5	0.5	0.3100
MWNE-09-82	259.5	260.0	0.5	0.1980
MWNE-09-82	260.0	260.5	0.5	0.0400
MWNE-09-82	260.5	261.0	0.5	0.2440
MWNE-09-82	261.0	261.5	0.5	0.1270
MWNE-09-82	261.5	262.0	0.5	0.0330
MWNE-09-82	262.0	262.5	0.5	0.0460
MWNE-09-82	262.5	263.0	0.5	1.5400
MWNE-09-82	263.0	263.5	0.5	4.6000
MWNE-09-82	263.5	264.0	0.5	1.8500

DDH	From	To	Interval	U3O8
	(m)	(m)	(m)	(wt%)
MWNE-09-82	264.0	264.5	0.5	0.3170
MWNE-09-82	264.5	265.0	0.5	0.0190
MWNE-09-82	265.0	265.5	0.5	0.0080
MWNE-09-82	265.5	266.0	0.5	0.0300
MWNE-09-82	266.0	266.5	0.5	0.0050
MWNE-09-82	266.5	267.0	0.5	0.0060
MWNE-09-82	267.0	267.5	0.5	0.0030
MWNE-09-82	267.5	268.0	0.5	0.0020
MWNE-09-82	268.0	268.5	0.5	0.0010
MWNE-09-82	268.5	269.0	0.5	0.0005
MWNE-09-82	269.0	269.5	0.5	0.0005
MWNE-09-82	269.5	270.0	0.5	0.0005
MWNE-09-82	270.0	270.5	0.5	0.0005
MWNE-09-82	270.5	271.0	0.5	0.0005
MWNE-09-82	271.0	271.5	0.5	0.0005
MWNE-09-82	271.5	272.0	0.5	0.0010
MWNE-09-82	272.0	272.5	0.5	0.0005
MWNE-09-82	272.5	273.0	0.5	0.8190
MWNE-09-82	273.0	273.5	0.5	0.1980
MWNE-09-82	273.5	274.0	0.5	0.0060
MWNE-09-82	274.0	274.5	0.5	0.0060
MWNE-09-82	274.5	275.0	0.5	0.0820
MWNE-09-82	275.0	275.5	0.5	0.0020
MWNE-09-82	275.5	276.0	0.5	0.0070
MWNE-09-82	276.0	276.5	0.5	0.0090
MWNE-09-82	276.5	277.0	0.5	0.0005
MWNE-09-82	277.0	277.5	0.5	0.0005
MWNE-09-82	277.5	278.0	0.5	0.0005
MWNE-09-82	278.0	278.5	0.5	0.0020
MWNE-09-82	278.5	279.0	0.5	0.0020
MWNE-09-82	279.0	279.5	0.5	0.0010
MWNE-09-82	279.5	280.0	0.5	0.0050
MWNE-09-82	280.0	280.5	0.5	0.0940
MWNE-09-82	280.5	281.0	0.5	1.1600
MWNE-09-82	281.0	281.5	0.5	2.2000
MWNE-09-82	281.5	282.0	0.5	0.0050
MWNE-09-82	282.0	282.5	0.5	0.0005
MWNE-09-82	282.5	283.0	0.5	0.0005
MWNE-09-82	283.0	283.5	0.5	0.0005
MWNE-09-82	283.5	284.0	0.5	0.0005
MWNE-09-82	346.0	346.5	0.5	0.0280
MWNE-09-82	346.5	347.0	0.5	0.0170
MWNE-09-82	347.0	347.5	0.5	0.0240
MWNE-09-82	347.5	348.0	0.5	0.0110
MWNE-09-82	348.0	348.5	0.5	0.0080

DDH	From	To	Interval	U3O8
	(m)	(m)	(m)	(wt%)
MWNE-09-82	348.5	349.0	0.5	0.0440
MWNE-09-82	349.0	349.5	0.5	0.0440
MWNE-09-82	349.5	350.0	0.5	0.0490
MWNE-09-82	350.0	350.5	0.5	0.0710
MWNE-09-82	350.5	351.0	0.5	0.1300
MWNE-09-82	351.0	351.5	0.5	0.0100
MWNE-09-82	351.5	352.0	0.5	0.0020
MWNE-09-84	252.0	253.0	1.0	0.0020
MWNE-09-84	253.0	253.5	0.5	0.0010
MWNE-09-84	253.5	254.0	0.5	0.0010
MWNE-09-84	254.0	254.5	0.5	0.0010
MWNE-09-84	254.5	255.0	0.5	0.0970
MWNE-09-84	255.0	255.5	0.5	0.9480
MWNE-09-84	255.5	256.0	0.5	0.0140
MWNE-09-84	256.0	256.5	0.5	0.0220
MWNE-09-84	256.5	257.0	0.5	0.0840
MWNE-09-84	257.0	257.5	0.5	0.2730
MWNE-09-84	257.5	258.0	0.5	0.5480
MWNE-09-84	258.0	258.5	0.5	0.0090
MWNE-09-84	258.5	259.0	0.5	1.7100
MWNE-09-84	259.0	259.5	0.5	1.5200
MWNE-09-84	259.5	260.0	0.5	0.0250
MWNE-09-84	260.0	260.5	0.5	0.0060
MWNE-09-84	260.5	261.0	0.5	0.0180
MWNE-09-84	261.0	261.5	0.5	0.0310
MWNE-09-84	261.5	262.0	0.5	0.0210
MWNE-09-84	262.0	262.5	0.5	0.0300
MWNE-09-84	262.5	263.0	0.5	0.0740
MWNE-09-84	263.0	263.5	0.5	0.0110
MWNE-09-84	263.5	264.0	0.5	0.0080
MWNE-09-84	264.0	264.5	0.5	0.0460
MWNE-09-84	264.5	265.0	0.5	0.0350
MWNE-09-84	265.0	265.5	0.5	0.1080
MWNE-09-84	265.5	266.0	0.5	0.0450
MWNE-09-84	266.0	266.5	0.5	0.0420
MWNE-09-84	266.5	267.0	0.5	0.0090
MWNE-09-84	267.0	267.5	0.5	0.0070
MWNE-09-84	267.5	268.0	0.5	0.0040
MWNE-09-84	268.0	268.5	0.5	0.0420
MWNE-09-84	268.5	269.0	0.5	0.0080
MWNE-09-84	269.0	270.0	1.0	0.0180
MWNE-09-87	182.0	182.5	0.5	0.0005
MWNE-09-87	182.5	183.0	0.5	0.0005
MWNE-09-87	183.0	183.5	0.5	0.0005
MWNE-09-87	183.5	184.0	0.5	0.0005

DDH	From	To	Interval	U3O8
	(m)	(m)	(m)	(wt%)
MWNE-09-87	184.0	184.5	0.5	0.0050
MWNE-09-87	184.5	185.0	0.5	0.0040
MWNE-09-87	185.0	185.5	0.5	0.1450
MWNE-09-87	185.5	186.0	0.5	0.0630
MWNE-09-87	186.0	186.5	0.5	0.0090
MWNE-09-87	186.5	187.0	0.5	0.0040
MWNE-09-87	187.0	187.5	0.5	0.0070
MWNE-09-87	187.5	188.0	0.5	0.0070
MWNE-09-87	188.0	188.5	0.5	0.0070
MWNE-09-87	188.5	189.0	0.5	0.0040
MWNE-09-87	189.0	190.0	1.0	0.0710
MWNE-09-87	190.0	191.0	1.0	0.0980
MWNE-09-87	191.0	192.0	1.0	0.2140
MWNE-09-87	192.0	192.5	0.5	0.0050
MWNE-09-87	192.5	193.0	0.5	0.0040
MWNE-09-87	193.0	193.5	0.5	0.0020
MWNE-09-87	193.5	194.0	0.5	0.0040
MWNE-09-87	194.0	194.5	0.5	0.0060
MWNE-09-87	194.5	195.0	0.5	0.0030
MWNE-09-87	220.0	220.5	0.5	0.0005
MWNE-09-87	220.5	221.0	0.5	0.0005
MWNE-09-87	221.0	221.5	0.5	0.0050
MWNE-09-87	221.5	222.0	0.5	0.0005
MWNE-09-87	222.0	222.5	0.5	0.0010
MWNE-09-87	222.5	223.0	0.5	0.0010
MWNE-09-87	223.0	223.5	0.5	0.0160
MWNE-09-87	223.5	224.0	0.5	0.0240
MWNE-09-87	224.0	224.5	0.5	0.3320
MWNE-09-87	224.5	225.0	0.5	2.9000
MWNE-09-87	225.0	225.5	0.5	3.2900
MWNE-09-87	225.5	226.0	0.5	6.6000
MWNE-09-87	226.0	226.5	0.5	5.5800
MWNE-09-87	226.5	227.0	0.5	9.5800
MWNE-09-87	227.0	227.5	0.5	1.1700
MWNE-09-87	227.5	228.0	0.5	1.2600
MWNE-09-87	228.0	228.5	0.5	0.0820
MWNE-09-87	228.5	229.0	0.5	0.2040
MWNE-09-87	229.0	229.5	0.5	0.0140
MWNE-09-87	229.5	230.0	0.5	0.0480
MWNE-09-87	230.0	230.5	0.5	0.0220
MWNE-09-87	230.5	231.0	0.5	0.1630
MWNE-09-87	231.0	231.5	0.5	1.9200
MWNE-09-87	231.5	232.0	0.5	4.0300
MWNE-09-87	232.0	232.5	0.5	0.0040
MWNE-09-87	232.5	233.0	0.5	0.0020

DDH	From	To	Interval	U3O8
	(m)	(m)	(m)	(wt%)
MWNE-09-87	233.0	233.5	0.5	0.0020
MWNE-09-87	233.5	234.0	0.5	0.0010
MWNE-09-87	234.0	234.5	0.5	0.0005
MWNE-09-87	234.5	235.0	0.5	0.0005